

ERW PIPE

Size Range / Pipeline

Size	Outside Diameter		Wall Thickness		Weight		Size	Outside Diameter		Wall Thickness		Weight		Size	Outside Diameter		Wall Thickness		Weight	
	in	mm	in	mm	lb/ft	kg/m		in	mm	in	mm	lb/ft	kg/m		in	mm	in	mm	lb/ft	kg/m
1/2	0.84	21.3	0.109	2.8	0.85	1.28	3	3.5	88.9	0.125	3.2	4.51	6.76	5	5.563	141.3	0.188	4.8	10.8	16.16
	0.84	21.3	0.147	3.7	1.09	1.61		3.5	88.9	0.141	3.6	5.06	7.57		5.563	141.3	0.219	5.6	12.51	18.74
	0.84	21.3	0.294	7.5	1.72	2.55		3.5	88.9	0.156	4	5.58	8.37		5.563	141.3	0.258	6.6	14.63	21.92
3/4	1.05	26.7	0.113	2.9	1.13	1.7		3.5	88.9	0.172	4.4	6.12	9.17		5.563	141.3	0.281	7.1	15.87	23.5
	1.05	26.7	0.154	3.9	1.48	2.19		3.5	88.9	0.188	4.8	6.66	9.95		5.563	141.3	0.312	7.9	17.51	25.99
	1.05	26.7	0.308	7.8	2.44	3.64		3.5	88.9	0.216	5.5	7.58	11.31		5.563	141.3	0.344	8.7	19.19	28.45
1	1.315	33.4	0.133	3.4	1.68	2.52		3.5	88.9	0.25	6.4	8.69	13.02		5.563	141.3	0.375	9.5	20.8	30.88
	1.315	33.4	0.179	4.5	2.17	3.21		3.5	88.9	0.281	7.1	9.67	14.32		5.563	141.3	0.5	12.7	27.06	40.28
	1.315	33.4	0.358	9.1	3.66	5.45		3.5	88.9	0.3	7.6	10.26	15.24		5.563	141.3	0.625	15.9	32.99	49.17
1 1/4	1.66	42.2	0.14	3.6	2.27	3.43		3.5	88.9	0.6	15.2	18.6	27.63		5.563	141.3	0.75	17.1	38.59	57.56
	1.66	42.2	0.191	4.9	3	4.51	3 1/2	4	101.6	0.083	2.1	3.48	5.15	6	6.625	168.3	0.083	2.1	5.8	8.61
	1.66	42.2	0.382	9.7	5.22	7.77		4	101.6	0.109	2.8	4.53	6.82		6.625	168.3	0.109	2.8	7.59	11.43
1 1/2	1.9	48.3	0.145	3.7	2.72	4.07		4	101.6	0.125	3.2	5.18	7.76		6.625	168.3	0.125	3.2	8.69	13.03
	1.9	48.3	0.2	5.1	3.63	5.43		4	101.6	0.141	3.6	5.82	8.7		6.625	168.3	0.141	3.6	9.77	14.62
	1.9	48.3	0.4	10.2	6.41	9.58		4	101.6	0.156	4	6.41	9.63		6.625	168.3	0.156	4	10.79	16.21
2	2.375	60.3	0.083	2.1	2.03	3.01		4	101.6	0.172	4.4	7.04	10.55		6.625	168.3	0.172	4.4	11.87	17.78
	2.375	60.3	0.109	2.8	2.64	3.97		4	101.6	0.188	4.8	7.66	11.46		6.625	168.3	0.188	4.8	12.94	19.35
	2.375	60.3	0.125	3.2	3.01	4.51		4	101.6	0.226	5.7	9.12	13.48		6.625	168.3	0.203	5.2	13.94	20.91
	2.375	60.3	0.141	3.6	3.37	5.03		4	101.6	0.25	6.4	10.02	15.02		6.625	168.3	0.219	5.6	15	22.47
	2.375	60.3	0.154	3.9	3.66	5.42		4	101.6	0.281	7.1	11.17	16.55		6.625	168.3	0.25	6.4	17.04	25.55
	2.375	60.3	0.172	4.4	4.05	6.07		4	101.6	0.318	8.1	12.52	18.68		6.625	168.3	0.28	7.1	18.99	28.22
	2.375	60.3	0.188	4.8	4.4	6.57	4	4.5	114.3	0.083	2.1	3.92	5.81		6.625	168.3	0.312	7.9	21.06	31.25
	2.375	60.3	0.218	5.5	5.03	7.43		4.5	114.3	0.125	3.2	5.85	8.77		6.625	168.3	0.344	8.7	23.1	34.24
	2.375	60.3	0.25	6.4	5.68	8.51		4.5	114.3	0.141	3.6	6.57	9.83		6.625	168.3	0.375	9.5	25.05	37.2
	2.375	60.3	0.281	7.1	6.29	9.31		4.5	114.3	0.156	4	7.24	10.88		6.625	168.3	0.432	11	28.6	42.67
	2.375	60.3	0.436	11.1	9.04	13.47		4.5	114.3	0.172	4.4	7.96	11.92	8	6.625	168.3	0.5	12.7	32.74	48.73
2 1/2	2.875	73	0.083	2.1	2.48	3.67		4.5	114.3	0.188	4.8	8.67	12.96		6.625	168.3	0.562	14.3	36.43	54.31
	2.875	73	0.109	2.8	3.22	4.85		4.5	114.3	0.203	5.2	9.32	13.99		6.625	168.3	0.625	15.9	40.09	59.76
	2.875	73	0.125	3.2	3.67	5.51		4.5	114.3	0.219	5.6	10.02	15.01		6.625	168.3	0.719	18.3	45.39	67.69
	2.875	73	0.141	3.6	4.12	6.16		4.5	114.3	0.237	6	10.8	16.02		6.625	168.3	0.75	19.1	47.1	70.27
	2.875	73	0.156	4	4.53	6.81		4.5	114.3	0.25	6.4	11.36	17.03		6.625	168.3	0.864	21.9	53.21	79.06
	2.875	73	0.172	4.4	4.97	7.44		4.5	114.3	0.281	7.1	12.67	18.77		6.625	168.3	0.875	22.2	53.78	79.98
	2.875	73	0.188	4.8	5.4	8.07		4.5	114.3	0.312	7.9	13.97	20.73		8.625	219.1	0.125	3.2	11.36	17.04
	2.875	73	0.203	5.2	5.8	8.69		4.5	114.3	0.337	8.6	15	22.42		8.625	219.1	0.156	4	14.12	21.22
	2.875	73	0.216	5.5	6.14	9.16		4.5	114.3	0.438	11.1	19.02	28.25		8.625	219.1	0.188	4.8	16.96	25.37
	2.875	73	0.25	6.4	7.02	10.51		4.5	114.3	0.531	13.5	22.53	33.56		8.625	219.1	0.203	5.2	18.28	27.43
	2.875	73	0.276	7	7.67	11.39		4.5	114.3	0.674	17.1	27.57	40.99		8.625	219.1	0.219	5.6	19.68	29.48
	2.875	73	0.552	14	13.71	20.37	5	5.563	141.3	0.083	2.1	4.86	7.21		8.625	219.1	0.25	6.4	22.38	33.57
3	3.5	88.9	0.083	2.1	3.03	4.5		5.563	141.3	0.125	3.2	7.27	10.9		8.625	219.1	0.277	7	24.72	36.61
	3.5	88.9	0.109	2.8	3.95	5.95		5.563	141.3	0.156	4	9.02	13.54		8.625	219.1	0.312	7.9	27.73	41.14

*Other grades or sizes may be available upon request.

ERW PIPE

Size Range / Pipeline

Size	Outside Diameter		Wall Thickness		Weight		Size	Outside Diameter		Wall Thickness		Weight		Size	Outside Diameter		Wall Thickness		Weight	
	in	mm	in	mm	lb/ft	kg/m		in	mm	in	mm	lb/ft	kg/m		in	mm	in	mm	lb/ft	kg/m
8	8.625	219.1	0.322	8.2	28.58	42.65	12	12.75	323.9	0.375	9.5	49.61	73.65	16	16	406.4	0.203	5.2	34.28	51.45
	8.625	219.1	0.344	8.7	30.45	45.14		12.75	323.9	0.406	10.3	53.57	79.65		16	406.4	0.219	5.6	36.95	55.35
	8.625	219.1	0.375	9.5	33.07	49.1		12.75	323.9	0.438	11.1	57.65	85.62		16	406.4	0.25	6.4	42.09	63.13
	8.625	219.1	0.438	11.1	38.33	56.94		12.75	323.9	0.5	12.7	65.48	97.46		16	406.4	0.281	7.1	47.22	69.91
	8.625	219.1	0.5	12.7	43.43	64.64		12.75	323.9	0.562	14.3	73.22	109.18		16	406.4	0.312	7.9	52.32	77.63
	8.625	219.1	0.562	14.3	48.44	72.22		12.75	323.9	0.625	15.9	81.01	120.76		16	406.4	0.344	8.7	57.57	85.32
	8.625	219.1	0.625	15.9	53.45	79.67		12.75	323.9	0.688	17.5	88.71	132.23		16	406.4	0.375	9.5	62.64	92.98
	8.625	219.1	0.719	18.3	60.77	90.62		12.75	323.9	0.75	19.1	96.21	143.56		16	406.4	0.406	10.3	67.68	100.61
	8.625	219.1	0.75	19.1	63.14	94.2		12.75	323.9	0.812	20.6	103.63	154.08		16	406.4	0.438	11.1	72.86	108.2
	8.625	219.1	0.812	20.6	67.82	100.84		12.75	323.9	0.875	22.2	111.08	165.17		16	406.4	0.469	11.9	77.87	115.77
	8.625	219.1	0.875	22.2	72.49	107.79		12.75	323.9	0.938	23.8	118.44	176.13		16	406.4	0.5	12.7	82.85	123.3
	8.625	219.1	1	25.4	81.51	121.33		12.75	323.9	1	25.4	125.61	186.97		16	406.4	0.562	14.3	92.75	138.27
10	10.75	273.1	0.156	4	17.67	26.54	14	12.75	323.9	1.062	27	132.69	197.68	18	16	406.4	0.625	15.9	102.72	153.11
	10.75	273.1	0.188	4.8	21.23	31.76		12.75	323.9	1.125	28.6	139.81	208.27		16	406.4	0.688	17.5	112.62	167.83
	10.75	273.1	0.203	5.2	22.89	34.35		12.75	323.9	1.25	31.8	153.67	229.06		16	406.4	0.75	19.1	122.27	184.42
	10.75	273.1	0.219	5.6	24.65	36.94		14	355.6	0.188	4.8	27.76	41.52		16	406.4	0.812	20.6	131.84	195.98
	10.75	273.1	0.25	6.4	28.06	42.09		14	355.6	0.203	5.2	29.94	44.93		16	406.4	0.875	22.2	141.48	210.33
	10.75	273.1	0.279	7.1	31.23	46.57		14	355.6	0.21	5.3	30.96	45.78		16	406.4	0.938	23.8	151.03	224.55
	10.75	273.1	0.307	7.8	34.27	51.03		14	355.6	0.219	5.6	32.26	48.33		16	406.4	1	25.4	160.35	238.64
	10.75	273.1	0.344	8.7	38.27	56.72		14	355.6	0.25	6.4	36.75	55.11		16	406.4	1.062	27	169.59	252.61
	10.75	273.1	0.365	9.3	40.52	60.5		14	355.6	0.281	7.1	41.21	61.02		16	406.4	1.125	28.6	178.89	266.45
	10.75	273.1	0.438	11.1	48.28	71.72		14	355.6	0.312	7.9	45.65	67.74		16	406.4	1.188	30.2	188.11	280.17
	10.75	273.1	0.5	12.7	54.79	81.55		14	355.6	0.344	8.7	50.22	74.42		16	406.4	1.25	31.8	197.1	293.76
	10.75	273.1	0.562	14.3	61.21	91.26		14	355.6	0.375	9.5	54.62	81.08		18	457	0.188	4.8	35.8	53.53
	10.75	273.1	0.625	15.9	67.65	100.85		14	355.6	0.406	10.3	59	87.71		18	457	0.219	5.6	41.63	62.34
	10.75	273.1	0.719	18.3	77.1	114.99		14	355.6	0.438	11.1	63.5	94.3		18	457	0.25	6.4	47.44	71.12
	10.75	273.1	0.812	20.6	86.26	128.27		14	355.6	0.469	11.9	67.84	100.86		18	457	0.281	7.1	53.23	78.77
	10.75	273.1	0.875	22.2	92.37	137.36		14	355.6	0.5	12.7	72.16	107.39		18	457	0.312	7.9	58.99	87.49
	10.75	273.1	0.938	23.8	98.39	146.32		14	355.6	0.562	14.3	80.73	120.36		18	457	0.344	8.7	64.93	96.18
	10.75	273.1	1	25.4	104.23	155.15		14	355.6	0.625	15.9	89.36	133.19		18	457	0.375	9.5	70.65	104.84
	10.75	273.1	1.25	31.8	126.94	189.22		14	355.6	0.688	17.5	97.91	145.91		18	457	0.406	10.3	76.36	113.46
12	12.75	323.9	0.172	4.4	23.13	34.67	16	14	355.6	0.75	19.1	106.23	158.49	18	18	457	0.438	11.1	82.23	122.05
	12.75	323.9	0.188	4.8	25.25	37.77		14	355.6	0.812	20.6	114.48	170.18		18	457	0.469	11.9	87.89	130.62
	12.75	323.9	0.203	5.2	27.23	40.87		14	355.6	0.875	22.2	122.77	182.52		18	457	0.5	12.7	93.54	139.15
	12.75	323.9	0.219	5.6	29.34	43.96		14	355.6	0.938	23.8	130.98	194.74		18	457	0.562	14.3	104.76	156.11
	12.75	323.9	0.25	6.4	33.41	50.11		14	355.6	1	25.4	138.97	206.83		18	457	0.625	15.9	116.09	172.95
	12.75	323.9	0.281	7.1	37.46	55.47		14	355.6	1.062	27	146.88	218.79		18	457	0.688	17.5	127.32	189.67
	12.75	323.9	0.312	7.9	41.48	61.56		14	355.6	1.125	28.6	154.84	230.63		18	457	0.75	19.1	138.3	206.25
	12.75	323.9	0.33	8.4	43.81	65.35		14	355.6	1.25	31.8	170.37	253.92		18	457	0.812	20.6	149.2	221.69
	12.75	323.9	0.344	8.7	45.62	67.62		16	406.4	0.188	4.8	31.78	47.54		18	457	0.875	22.2	160.18	238.03

*Other grades or sizes may be available upon request.

ERW PIPE

Size Range / Pipeline

Size	Outside Diameter		Wall Thickness		Weight		Size	Outside Diameter		Wall Thickness		Weight		Size	Outside Diameter		Wall Thickness		Weight	
	in	mm	in	mm	lb/ft	kg/m		in	mm	in	mm	lb/ft	kg/m		in	mm	in	mm	lb/ft	kg/m
18	18	457	0.938	23.8	171.08	254.25	22	22	559	0.562	14.3	128.79	192.08	24	24	610	1.5	38.1	360.79	537.33
	18	457	1	25.4	181.73	270.34		22	559	0.625	15.9	142.81	212.9 5		24	610	1.562	39.7	374.66	558.32
	18	457	1.062	27	192.29	286.3		22	559	0.688	17.5	156.74	233.68	26	26	660	0.281	7.1		
	18	457	1.125	28.6	202.94	302.14		22	559	0.75	19.1	170.37	254.3		26	660	0.312	7.9		
	18	457	1.188	30.2	213.51	317.85		22	559	0.812	20.6	183.92	273.51		26	660	0.344	8.7		
	18	457	1.25	31.8	223.82	333.44		22	559	0.875	22.2	197.6	293.87		26	660	0.375	9.5		
20	20	508	0.219	5.6	46.31	69.38		22	559	0.938	23.8	211.19	314.11		26	660	0.406	10.3		
	20	508	0.25	6.4	52.78	79.16		22	559	1	25.4	224.49	334.23		26	660	0.438	11.1		
	20	508	0.281	7.1	59.23	87.7		22	559	1.062	27	237.7	354.22		26	660	0.469	11.9		
	20	508	0.312	7.9	65.66	97.43		22	559	1.125	28.6	251.05	374.08		26	660	0.5	12.7		
	20	508	0.344	8.7	72.28	107.12		22	559	1.188	30.2	264.31	393.81		26	660	0.562	14.3		
	20	508	0.375	9.5	78.67	116.78		22	559	1.25	31.8	277.27	413.42		26	660	0.625	15.9		
	20	508	0.406	10.3	85.04	126.41		22	559	1.312	33.3	290.15	431.69		26	660	0.688	17.5		
	20	508	0.438	11.1	91.59	136.01		22	559	1.375	34.9	303.16	451 .06		26	660	0.75	19.1		
	20	508	0.469	11.9	97.92	145.58		22	559	1.438	36.5	316.08	470.3		26	660	0.812	20.5		
	20	508	0.5	12.7	104.23	155.12		22	559	1.5	38.1	328.72	489.41		26	660	0.875	22.2		
	20	508	0.562	14.3	116.78	174.1	24	24	610	0.25	6.4	63.47	95.26	26	26	660	0.25	6.4	63.47	95.26
	20	508	0.625	15.9	129.45	192.95		24	610	0.281	7.1	71.25	105.56		26	660	0.281	7.1	71.25	105.56
	20	508	0.688	17.9	142.03	216.34		24	610	0.312	7.9	79.01	117.3		26	660	0.312	7.9	79.01	117.3
	20	508	0.75	19.1	154.34	230.27		24	610	0.344	8.7	86.99	129		26	660	0.344	8.7	86.99	129
	20	508	0.812	20.6	166.56	247.6		24	610	0.375	9.5	94.71	140.68		26	660	0.375	9.5	94.71	140.68
	20	508	0.875	22.2	178.89	265.95		24	610	0.406	10.3	102.4	152.32		26	660	0.406	10.3	102.4	152.32
	20	508	0.938	23.8	191.14	284.18		24	610	0.438	11.1	110.32	163.93		26	660	0.438	11.1	110.32	163.93
	20	508	1	25.4	203.11	302.28		24	610	0.469	11.9	117.98	175.51		26	660	0.469	11.9	117.98	175.51
	20	508	1.062	27	215	320.26		24	610	0.5	12.7	125.61	187.06		26	660	0.5	12.7	125.61	187.06
	20	508	1.125	28.6	227	338.11		24	610	0.562	14.3	140.81	210.07		26	660	0.562	14.3	140.81	210.07
	20	508	1.188	30.2	238.91	355.83		24	610	0.625	15.9	156.17	232.94		26	660	0.625	15.9	156.17	232.94
	20	508	1.25	31.8	250.55	373.43		24	610	0.688	17.5	171.45	255.69		26	660	0.688	17.5	171.45	255.69
	20	508	1.312	33.3	262.1	389.81		24	610	0.75	19.1	186.41	278.32		26	660	0.75	19.1	186.41	278.32
	20	508	1.375	34.9	273.76	407.17		24	610	0.812	20.6	201.28	299.41		26	660	0.812	20.5		
22	22	559	0.219	5.6	50.99	76.42		24	610	0.875	22.2	216.31	321.79		26	660	0.875	22.2		
	22	559	0.25	6.4	58.13	87.21		24	610	0.938	23.8	231.25	344.05		26	660	0.938	23.8	231.25	344.05
	22	559	0.281	7.1	65.24	96.63		24	610	1	25.4	245.87	366.17		26	660	1	25.4	245.87	366.17
	22	559	0.312	7.9	72.34	107.36		24	610	1.062	27	260.41	388.17		26	660	1.062	27	260.41	388.17
	22	559	0.344	8.7	79.64	118.06		24	610	1.125	28.6	275.1	410.05		26	660	1.125	28.6	275.1	410.05
	22	559	0.375	9.5	86.69	128.73		24	610	1.188	30.2	289.71	431.8		26	660	1.188	30.2	289.71	431.8
	22	559	0.406	10.3	93.72	139.37		24	610	1.25	31.8	304	453.42		26	660	1.25	31.8	304	453.42
	22	559	0.438	11.1	100.96	149.97		24	610	1.312	33.3	318.21	473.57		26	660	1.312	33.3	318.21	473.57
	22	559	0.469	11.9	107.95	160.55		24	610	1.375	34.9	332.56	494.95		26	660	1.375	34.9	332.56	494.95
	22	559	0.5	12.7	114.92	171.09		24	610	1.438	36.5	346.83	516.2		26	660	1.438	36.5	346.83	516.2

*Other grades or sizes may be available upon request.