

## Production Range / Casing and Tubing

Outside diameter	Plain ends	H40	J55 - K55	N80	L80(1)	C95	P110
1.050"	26.67 mm	•					
1.315"	33.40 mm	•					
1.660"	42.16 mm	•					
1.900"	48.26 mm	•					
2.063"	52.40 mm	•					
2.3/8"	60.30 mm	•	• •	• •	•	•	•
2.7/8"	73.00 mm	•	• •	• •	•	•	•
3.1/2"	88.90 mm	•	• •	• •	•	•	•
4"	101.60 mm	•	• •	• •	•	•	•
4.1/2"	114.30 mm	•	•	• • •	• •	• •	• •
5"	127.00 mm	•	•	•	•	•	•
5.1/2"	139.70 mm	•	•	•	•	•	•
6.5/8"	168.30 mm	•	•	•			
7"	177.80 mm	•	•	•			

- Tubing and casing plain ends
  - Tubing ends: N.U.E
  - Tubing ends: E.U.E.
  - Casing threads: Short (S.T.C.), long (L.T.C.) and buttress (B.T.C.)
- Special threads on request

\*Other grades or sizes may be available upon request.

## O.C.T.G | DRILL PIPE

### Size Range / Drill Pipe

Outside diameter			Wall Thickness (mm, inch)			
			Min.		Max.	
mm	NPS	Inches (")	mm	Inches (")	mm	Inches (")
26.7 26.9	3/4"	1.050	2.6	0.102	6.3	0.248
28		1.102	2.6	0.102	6.3	0.248
30.0		1.181	2.6	0.102	7.1	0.280
31.8		1.250	2.6	0.102	7.1	0.280
33.4 33.7	1"	1.315	2.6	0.102	8.0	0.315
35.0		1.378	2.6	0.102	8.0	0.315
38.0 38.1		1.496 1.5	2.6	0.102	8.8	0.346
42.2 42.4	1.1/4"	1.660 1.669	2.6	0.102	8.8	0.346
44.5		1.750	2.6	0.102	10.0	0.394
48.3	1.1/2"	1.900	2.6	0.102	10.0	0.394
50.8 51.0		2.000 2.008	2.6	0.102	10.0	0.394
54.0		2.126	2.6	0.102	11.0	0.433
57.0		2.254	2.9	0.114	11.0	0.433
60.3 63.5	2"	2.375 2.480 2.500	2.9	0.114	11.0	0.433
70.0		2.756	2.9	0.114	11.0	0.433
73.0	2 1/2"	2.875	2.9	0.114	11.0	0.433
76.1 76.2		2.996 3.000	2.9	0.114	12.5	0.492
82.5		3.258	3.2	0.126	14.2	0.559
88.9	3"	3.500	3.2	0.126	14.2	0.559
95.0 98.0		3.740 3.858	3.6	0.142	14.3	0.563
101.6	3 1/2"	4.000	3.6	0.142	16.0	0.630
108.0		4.252	3.6	0.142	16.0	0.630
114.3	4"	4.500	3.6	0.142	16.0	0.630
121.0		4.764	4.0	0.157	16.0	0.630
127.0		5.000	4.0	0.157	16.0	0.630
133.0		5.236	4.0	0.157	16.0	0.630
139.7		5.500	4.0	0.157	16.0	0.630
141.3	5"	5.563	4.0	0.157	16.0	0.630
152.4		6.000	4.0	0.157	16.0	0.630
159.0		6.260	4.0	0.157	16.0	0.630
165.1 168.3	6"	6.500 6.625	4.0	0.157	16.0	0.630
177.8		7.000	8.0	0.315	16.0	0.630

\*Other grades or sizes may be available upon request.